HP Color LaserJet Managed MFP E877dn Printer Series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.²
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.⁴
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

Always on guard with HP Wolf Security⁵

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁷
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁸ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.⁹
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



Series at a glance

Model	HP Color LaserJet Managed MFP E877dn				
Product number	5QK03A	5QK03A (Base) + 8EP60AAE (Speed license)	5QK03A (Base) + 8EP61AAE (Speed license)	5QK03A (Base) + 8EP62AAE (Speed license)	
Print speed (A4 and letter, black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm	
Scan speed (A4 and letter, black and color) ⁴	90 ppm/180 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	200 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	No				

2 Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The EATY series Flow models include a 300-sheet ADF. The EATY series of models include a 200-sheet ADF. The EATY series flow models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).
5 Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
6 Card speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
HP EveryPage Technology is powered by ultrasonic multi-feed detection.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HDE - HP 1 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HFE - HP 3 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HGE - HP 4 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HHE - HP 5 year Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HJE - HP 3 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HKE - HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HLE - HP 5 year 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HME - HP 1 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HME - HP 3 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HQE - HP 4 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HRE - HP 5 year Parts Exchange w/DMR SVC for Color Laser Jet Managed MFP E877xx (Managed Component Only) U03HSPE - HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Managed MFP E877xx U03HVPE - HP 2 year Post Warranty 4 hour 9x5 with DMR Service
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

Front panel optional colors



*Available with optional color panel accessories

Accessories & Speed Licenses 155P7A HP LaserJet InnerFinisher 2/3 Hole Punch 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch 155P9A HP LaserJet Inner Finisher Swedish Hole Punch 190A2A HP Color LaserJet Department Lunar Gray Color Panel 190A4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel 190A5A HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel 190A8A HP LaserJet Department Stand Lunar Gray Color Panel 190B2A HP Color LaserJet Department Comet Red Color Panel 190B4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel 190B5A HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel 190B8A HP LaserJet Department Stand Comet Red Color Panel 190C2A HP Color LaserJet Department Cosmic Green Color Panel **190C4A** HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190C5A HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel 190C8A HP LaserJet Department Stand Cosmic Green Color Panel 190D2A HP Color Laser Jet Department Constellation Yellow Color Panel **190D4A** HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel **190D5A** HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel 190D8A HP LaserJet Department Stand Constellation Yellow Color Panel 190F2A HP Color LaserJet Department Aurora Purple Color Panel 190F4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel 190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel 190F8A HP LaserJet Department Stand Aurora Purple Color Panel 2NR12A HP Removable Hard Drive Enclosure 2TD64A HP Accessibility Kit 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory 478C2A HP Printing Voice Assistant 4QL32A HP Legic Secure USB Reader 4XN67A Internal USB Expansion Kit 5QK14A HP MFP 810 Analog Dual Fax 6GW47A HP LaserJet 2x520 sheet Department Paper Tray/Stand 6GW49A HP LaserJet Inner Finisher 6GW50A HP LaserJet Department Job Separator 6GW51A HP LaserJet Booklet Finisher 6GW53A HP LaserJet Department Stand 6GW55A HP LaserJet Stapler/Stacker Finisher 6GW56A HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand 6GW57A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand 6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive 7ZA07A HP MFP 811 Analog Dual Fax 7ZA08A HP MFP 800 Analog Single Fax **7ZA09A** HP MFP 801 Analog Single Fax 8FP31A HP Jetdirect LAN Accessory 9EQ11A HP 500GB CCC, FIPS Hard Disk Drive B5L31A HP Foreign Interface Harness CC543B HP SmartCard NIPRNet Solution for US Government F8B30A HP SmartCard SIPRNet Solution for US Government X3D03A HP USB Universal Card Reader Y1G10A HP LaserJet Hole Punch 2/3 Accessory Y1G13A HP LaserJet Inner/Booklet Staples Y1G14A HP LaserJet Stapler/Stacker Finisher Staples Y1G22A HP LaserJet Paper Tray Heaters Accessory Y7C05A HP HIP2 Keystroke Reader Y7C07A HP SIM for HID iClass for HIP2 Reader BEP60AAE HP Color LaserJet Managed MFP E877 40 to 50ppm License BEP61AAE HP Color LaserJet Managed MFP E877 40 to 50ppm License BEP62AAE HP Color LaserJet Managed MFP E877 40 to 70ppm License BLB48AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License BLB49AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License BLB49AAE HP Color LaserJet Managed MFP E877 60 to 70ppm License

8LB50AAE HP Color LaserJet Managed MFP E877 50 to 70ppm License

^{*} Inner finisher/inner finisher hole punches are not compatible with 70ppm

Technical specifications

rmal): Up to 60 prmal (600 x 6 prmal (600 x 600 prmal (600 x 600 dpi; ssion PDF, JPE (600 x 600	0 x 600 dpi; Color (fine lines 00 4 bit); Best (1200 x 1200 yellow) ript level 3 emulation, PDF or int multiple pages per she	Up to 50 ppm (wit	th BEP60AAE) th BEP60AAE) th BEP60AAE) (with (with (with (with llack (fine lines) ble , watermarks, s (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th BEP60AAE) th BEP60AAE)	Up to 60 ppm (with 8EP61AAE) Up to 60 ppm (with 8EP61AAE) Up to 60 ppm (with 8EP61AAE) As fast as 7.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) As fast as 7.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) The fact as 8.2 sec (with 8EP61AAE) Store print jobs, easy-access USB Up to 1200 x 1200 dpi; Color (because) Color (b	o to 180 ipm (b&w), up to 180 orm (OXP), HP Workpath net Fax; local address book; SM up, sharpness); optimize		
tter Color I Black Color O 1200 × 1200 × 1200 cmal): Up to 60 cmal (600 × 60 cmal (600 × 60 dpi; ssion PDF, JPE (cations: Copy; eps × 864 mm; eps × 864 m	Up to 40 ppm Up to 40 ppm As fast as 8.2 sec As fast as 9.7 sec Odpi full speed; Black (norm 0 × 600 dpi; Color (fine lines) over the second of the se	Up to 50 ppm (wit	th 8EP60AAE) th 8EP60AAE) th 8EP60AAE) (with (with (with lack (fine lines) (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	Up to 60 ppm (with 8EP61AAE) Up to 60 ppm (with 8EP61AAE) As fast as 7.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) As fast as 7.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) The fact as 8.2 sec (with 8EP61AAE) Store print jobs, easy-access USB Up to 1200 x 1200 dpi; Color (because of the fact of the fac	Up to 70 ppm (with 8EP62AAE Up to 70 ppm (with 8EP62AAE As fast as 7.2 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) est): Up to 1200 x 1200 dpi full or 180 ipm (b&w), up to 180 orm (OXP), HP Workpath orm (OXP), HP Workpath up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE)		
tter Color I Black Color O 1200 × 1200 × 1200 cmal): Up to 60 cmal (600 × 60 cmal (600 × 60 dpi; ssion PDF, JPE (cations: Copy; eps × 864 mm; eps × 864 m	As fast as 8.2 sec As fast as 9.7 sec Odpi full speed; Black (norm 0 x 600 dpi; Color (fine lines) on 4 bit); Best (1200 x 1200 yellow) As fast as 9.7 sec Od 4 bit); Best (1200 x 1200 yellow) As fast as 9.7 sec Od 4 bit); Best (1200 x 1200 yellow) As fast as 9.7 sec Od 4 bit); Best (1200 x 1200 yellow) As fast as 9.7 sec Od 4 bit); Best (1200 x 1200 yellow) As fast as 9.7 sec Od 4 bit); Best (1200 x 1200 yellow) Od 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: Folder; scan to USB drive; state of picture, photograph); con yestraighten Up to 40 cpm	Up to 50 ppm (wit As fast as 7.6 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 7.6 sec 8EP60AAE) As fast as 7.6 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) al): Up to 600 x 600 dpi; Bi con 1 bit) (v 1.7), AirPrint™ compatib set (2, 4, 6, 9, 16), collation, or); Up to 90 ppm/180 ipm pi Network Folder; Scan to Us 68 x 127 mm; 2.7 x 5 in Fi can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mod Up to 50 cpm (with Up to 50 cpm (with) Up to 50 cpm (with)	th BEP60AAE) (with (with (with (with lack (fine lines) ble , watermarks, s (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th BEP60AAE) th BEP60AAE)	Up to 60 ppm (with 8EP61AAE) As fast as 7.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) Up to 1200 x 1200 dpi; Color (be store print jobs, easy-access USB) O ppm/180 ipm (color) Duplex: Up of 1200 yper Extensibility Platform (color) Duplex: Up of 1200 yper Extensibility Platfor	Up to 70 ppm (with 8EP62AAE) As fast as 7.2 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) As fast as 7.2 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) Up to 1200 x 1200 dpi full 90 to 180 ipm (b&w), up to 180		
tter Color I Black Color O 1200 × 1200 × 1200 cmal): Up to 60 cmal (600 × 60 cmal (600 × 60 dpi; ssion PDF, JPE (cations: Copy; eps × 864 mm; eps × 864 m	As fast as 8.2 sec As fast as 9.7 sec As fast as 9.7 sec As fast as 9.7 sec Odpi full speed; Black (norm 0 x 600 dpi; Color (fine lines) 00 4 bit); Best (1200 x 1200 yellow) As fast as 9.7 sec Odpi full speed; Black (norm 0 x 600 dpi; Color (fine lines) 100 dpi); Color (As fast as 7.6 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 7.6 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) al): Up to 600 x 600 dpi; Bis 100 to 1200 x 1200 dpi of 1 bit) (v 1.7), AirPrint™ compatible for 1200 x 1200 dpi of 1 bit) Network Folder; Scan to Using the following for 1200 x 1200 dpi Network Folder; Scan to Using following for 1200 x 1200 dpi Up to 90 ppm/180 ipm pi can to SharePoint; scan to Using following for 1200 x 1200 dpi Up to 50 cpm (with Up to 50 c	(with (with (with (with (with lack (fine lines)) (back (fine lines) (back), up to 9 (back), u	As fast as 7.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) As fast as 7.2 sec (with 8EP61AAE) As fast as 7.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) : Up to 1200 x 1200 dpi; Color (bestore print jobs, easy-access USB o ppm/180 ipm (color) Duplex: Up Storage; Open Extensibility Platforms, and the second second claim of the second	As fast as 7.2 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) As fast as 7.2 sec (with 8EP62AAE) As fast as 7.2 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) as fast as 8.0 sec (with 8EP62AAE) beto 1200 x 1200 dpi full beto 180 ipm (b&w), up to 180 orm (OXP), HP Workpath orm (OXP), HP Workpath orm (OXP), HP Workpath up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE)		
tter Color I Black Color O 1200 × 1200 × 1200 cmal): Up to 60 cmal (600 × 60 cmal (600 × 60 dpi; ssion PDF, JPE (cations: Copy; eps × 864 mm; eps × 864 m	As fast as 9.7 sec As fast as 8.2 sec As fast as 9.7 sec Ox 600 dpi; Color (fine lines) 00 4 bit); Best (1200 x 1200) Iript level 3 emulation, PDF Irint multiple pages per she Ip to 90 ppm/180 ipm (color) ID Digital-CIS Optical: Up to 600 x 600 dpi 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; scolor/monochrome; high cod dpicture, photograph); con y straighten Up to 40 cpm	8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 7.6 sec 8EP60AAE) As fast as 7.6 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) nal): Up to 600 × 600 dpi; Bi s): Up to 1200 × 1200 dpi 0 1 bit) (v 1.7), AirPrint™ compatib eet (2, 4, 6, 9, 16), collation, or); Up to 90 ppm/180 ipm pi Network Folder; Scan to Uses 68 × 127 mm; 2.7 × 5 in Fi can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mode Up to 50 cpm (with Up to 50 cpm (with) Up to 50 cpm (with)	(with (with (with lack (fine lines) le , watermarks, s (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	BEP61AAE) As fast as 8.2 sec (with BEP61AAE) As fast as 7.2 sec (with BEP61AAE) As fast as 7.2 sec (with BEP61AAE) As fast as 8.2 sec (with BEP61AAE) Up to 1200 x 1200 dpi; Color (be store print jobs, easy-access USB oppm/180 ipm (color) Duplex: Up oppm	As fast as 8.0 sec (with 8EP62AAE) As fast as 7.2 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) St): Up to 1200 x 1200 dpi full oto 180 ipm (b&w), up to 180 orm (OXP), HP Workpath orm (OXP), HP Workpath up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE)		
I Black I Color 10 1200 x 1200 10 1200 x 12	As fast as 8.2 sec As fast as 9.7 sec O dpi full speed; Black (norm 0 × 600 dpi; Color (fine lines 00 4 bit); Best (1200 × 1200 yellow) In the second of	8EP60AAE) As fast as 7.6 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) nal): Up to 600 x 600 dpi; Bis): Up to 1200 x 1200 dpi 0 1 bit) (v 1.7), AirPrint™ compatible to (2, 4, 6, 9, 16), collation, or); Up to 90 ppm/180 ipm pi Network Folder; Scan to Use 168 x 127 mm; 2.7 x 5 in Flux and to SharePoint; scan to 15 mpression PDF; image adjutent orientation; scan modification with the companion of the compression PDF; image adjutent orientation; scan modification with the companion of the companion PDF; image adjutent orientation; scan modification of the companion PDF; image adjutent orientation; scan modification PDF; image adjutent orientation PDF; image adjutent orientation PDF; image adjutent orientation PDF; image adjutent or	(with (with llack (fine lines) ble , watermarks, s (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	BEP61AAE) As fast as 7.2 sec (with BEP61AAE) As fast as 8.2 sec (with BEP61AAE) Store print jobs, easy-access USB Oppm/180 ipm (color) Duplex: Up Storage; Open Extensibility Platforms, 11.69 x 17 in TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with BEP61AAE) Up to 60 cpm (with BEP61AAE) Up to 60 cpm (with BEP61AAE)	BEP62AAE) As fast as 7.2 sec (with BEP62AAE) As fast as 8.0 sec (with BEP62AAE) As fast as 8.0 sec (with BEP62AAE) Destb: Up to 1200 x 1200 dpi full on to 180 ipm (b&w), up to 180 Destb: Up to 1200 x 1200 dpi full on to 180 ipm (b&w), up to 180 Destb: Up to 1200 x 1200 dpi full on to 180 ipm (b&w), up to 180 Destb: Up to 180 ipm (b&w)		
tolor to 1200 x 1200 to 1200 x 1200 to 1200 x 1200 to mal): Up to 600 tormal (600 x 6 toyan, magenta EL 6, HP Postst plex printing, p 30 ipm (b&w), o 180 ipm (b&w) aten Scanner C 600 x 600 dpi; ssion PDF, JPE; ications: Copy; 197 x 864 mm; meets	As fast as 9.7 sec of opi full speed; Black (norm 0 x 600 dpi; Color (fine lines) 00 4 bit); Best (1200 x 1200; yellow) ript level 3 emulation, PDF up to 90 ppm/180 ipm (color) cD Digital-CIS Optical: Up to 600 x 600 dpi 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; scolor/monochrome; high cod dpicture, photograph); con y straighten Up to 40 cpm	As fast as 7.6 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) As fast as 8.8 sec 8EP60AAE) nal): Up to 600 x 600 dpi; Bis): Up to 1200 x 1200 dpi 0 1 bit) (v 1.7), AirPrint™ compatible to (2, 4, 6, 9, 16), collation, or); Up to 90 ppm/180 ipm pi Network Folder; Scan to Use 168 x 127 mm; 2.7 x 5 in Flucture to SharePoint; scan to 15 mpression PDF; image adjutent orientation; scan modification with the company of the com	(with lack (fine lines) le , watermarks, s (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE) As fast as 8.2 sec (with 8EP61AAE) The print jobs, easy-access USB of ppm/180 ipm (color) Duplex: Up of 180 ipm (color) D	As fast as 7.2 sec (with 8EP62AAE) As fast as 8.0 sec (with 8EP62AAE) as fast as 8.0 sec (with 8EP62AAE) o to 180 ipm (b&w), up to 180 orm (OXP), HP Workpath orm (OXP), HP Workpath the Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE) Up to 70cpm (with 8EP62AAE)		
tolor to 1200 x 1200 to 1200 x 1200 to 1200 x 1200 to mal): Up to 600 tormal (600 x 6 toyan, magenta EL 6, HP Postst plex printing, p 30 ipm (b&w), o 180 ipm (b&w) aten Scanner C 600 x 600 dpi; ssion PDF, JPE; ications: Copy; 197 x 864 mm; meets	As fast as 9.7 sec of opi full speed; Black (norm 0 x 600 dpi; Color (fine lines) 00 4 bit); Best (1200 x 1200; yellow) ript level 3 emulation, PDF up to 90 ppm/180 ipm (color) cD Digital-CIS Optical: Up to 600 x 600 dpi 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; scolor/monochrome; high cod dpicture, photograph); con y straighten Up to 40 cpm	As fast as 8.8 sec 8EP60AAE) nat): Up to 600 x 600 dpi; Bis): Up to 1200 x 1200 dpi 0 1 bit) (v 1.7), AirPrint™ compatible (2, 4, 6, 9, 16), collation, or); Up to 90 ppm/180 ipm Pi Network Folder; Scan to Use (68 x 127 mm; 2.7 x 5 in Flumpression PDF; image adjutent orientation; scan modification (with Up to 50 cpm (with Up to 5	lack (fine lines) le , watermarks, s (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) h 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE) : Up to 1200 x 1200 dpi; Color (bestore print jobs, easy-access USB 0 ppm/180 ipm (color) Duplex: Up o Storage; Open Extensibility Platforms 32 mm; 11.69 x 17 in TP; scan to LAN fax; scan to Interiness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62AAE) est): Up to 1200 x 1200 dpi full to to 180 ipm (b&w), up to 180 orm (OXP), HP Workpath orm (OXP), HP Workpath up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE)		
to 1200 x 1200 cmal): Up to 600 cmal): Up to 600 cmal (600 x 6 cyan, magenta EL 6, HP Postscyplex printing, p. 800 ipm (b&w), to 1800 ipm (b&w) atten Scanner (1600 x 600 dpi; ssion PDF, JPE ications: Copy; 1997 x 864 mm; the ets	o' dpi full speed; Black (norm 0 x 600 dpi; Color (fine lines 200 4 bit); Best (1200 x 1200 yellow) rript level 3 emulation, PDF rrint multiple pages per she are to 180 ipm (color) CD Digital-CIS Optical: Up to 600 x 600 dpi G, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; scolor/monochrome; high cod picture, photograph); con y straighten Up to 40 cpm	nal): Up to 600 x 600 dpi; Bis): Up to 600 x 1200 dpi 0 1 bit) (v 1.7), AirPrint™ compatible tet (2, 4, 6, 9, 16), collation, or); Up to 90 ppm/180 ipm Pi Network Folder; Scan to Use 168 x 127 mm; 2.7 x 5 in Flux	sle , watermarks, s , watermarks, s , (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) h 8EP60AAE)	store print jobs, easy-access USB O ppm/180 ipm (color) Duplex: Up Storage; Open Extensibility Platforms: 11.69 x 17 in TP; scan to LAN fax; scan to Interiness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	pet Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE)		
rmal): Up to 60 prmal (600 x 6 prmal (600 x 600 prmal (600 x 600 dpi prmal (600 x	0 x 600 dpi; Color (fine lines 00 4 bit); Best (1200 x 1200 yellow) ript level 3 emulation, PDF rint multiple pages per she op to 90 ppm/180 ipm (color) yellow), up to 180 ipm (color) yellow), up to 180 ipm (color) yellow (color)	s): Up to 1200 × 1200 dpi 0 1 bit) (v 1.7), AirPrint™ compatib et (2, 4, 6, 9, 16), collation, or); Up to 90 ppm/180 ipm Pi Network Folder; Scan to Use 168 × 127 mm; 2.7 × 5 in Fl can to SharePoint; scan to I smpression PDF; image adjutent orientation; scan modification in the standard of the standard orientation; scan modification in the standard orientation in the standar	sle , watermarks, s , watermarks, s , (b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) h 8EP60AAE)	o ppm/180 ipm (color) Duplex: Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	o to 180 ipm (b&w), up to 180 orm (OXP), HP Workpath net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
eyan, magenta EL 6, HP Postso plex printing, p. 30 ipm (b&w), p. 180 ipm (b&v) aten Scanner (companies) 600 x 600 dpi; ssion PDF, JPE; ications: Copy; 197 x 864 mm; meets	ript level 3 emulation, PDF ript level 5 emulation, PDF ript level 6 emulation, PDF ript level 7 emulation, PDF ript level 7 emulation, PDF ript level 3 emulation, PDF ript level 6 emulation, PDF ri	(v 1.7), AirPrint™ compatible tet (2, 4, 6, 9, 16), collation, or); Up to 90 ppm/180 ipm Pri Network Folder; Scan to Use 168 x 127 mm; 2.7 x 5 in Flucture and to SharePoint; scan to 15 mpression PDF; image adjutent orientation; scan modification and the Up to 50 cpm (with Up t	(b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	0 ppm/180 ipm (color) Duplex: Up o Storage; Open Extensibility Platforms 11.69 x 17 in TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page croup to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	orm (OXP), HP Workpath net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE)		
L 6, HP Postso plex printing, p 30 ipm (b&w), o 180 ipm (b&v), o 180 ipm (b&v) aten Scanner (600 x 600 dpi; ssion PDF, JPE; ications: Copy; 197 x 864 mm; neets	ript level 3 emulation, PDF rint multiple pages per she up to 90 ppm/180 ipm (color w), up to 180 ipm (color) CD Digital-CIS Optical: Up to 600 x 600 dp 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; scolor/monochrome; high cod dpicture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	cet (2, 4, 6, 9, 16), collation, br); Up to 90 ppm/180 ipm pi Network Folder; Scan to Use 68 x 127 mm; 2.7 x 5 in Fl can to SharePoint; scan to Isempression PDF; image adjutent orientation; scan modification with the color of	(b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	0 ppm/180 ipm (color) Duplex: Up o Storage; Open Extensibility Platforms 11.69 x 17 in TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page croup to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	orm (OXP), HP Workpath net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE) Up to 70cpm (with 8EP62AAE)		
plex printing, p 80 ipm (b&w), o 180 ipm (b&w aten Scanner (600 x 600 dpi; ssion PDF, JPE; ications: Copy; 197 x 864 mm; neets	rint multiple pages per she up to 90 ppm/180 ipm (color) up to 180 ipm (color) CD Digital-CIS Optical: Up to 600 x 600 dp 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; so col pi/monochrome; high co do r/monochrome; high co do r/monochrome; high co y straighten Up to 40 cpm	cet (2, 4, 6, 9, 16), collation, br); Up to 90 ppm/180 ipm pi Network Folder; Scan to Use 68 x 127 mm; 2.7 x 5 in Fl can to SharePoint; scan to Isempression PDF; image adjutent orientation; scan modification with the color of	(b&w), up to 9 SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	0 ppm/180 ipm (color) Duplex: Up o Storage; Open Extensibility Platforms 11.69 x 17 in TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page croup to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	orm (OXP), HP Workpath net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
30 ipm (b&w), to 180 ipm (b&w), to 180 ipm (b&w), aten Scanner (composed from the second from	up to 90 ppm/180 ipm (color) v), up to 180 ipm (color) CD Digital-CIS Optical: Up to 600 x 600 dp 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; solor/monochrome; high co do picture, photograph); con y straighten Up to 40 cpm	pri; Up to 90 ppm/180 ipm pri Network Folder; Scan to Use 68 x 127 mm; 2.7 x 5 in Flucture for the following for the fo	SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) h 8EP60AAE)	0 ppm/180 ipm (color) Duplex: Up o Storage; Open Extensibility Platforms 11.69 x 17 in TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page croup to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	orm (OXP), HP Workpath net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
o 180 ipm (b&o aten Scanner (600 x 600 dpi; ssion PDF, JPE; ications: Copy; 197 x 864 mm; neets	w), up to 180 ipm (color) CD Digital-CIS Optical: Up to 600 x 600 di 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; si color/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	pi Network Folder; Scan to US 68 x 127 mm; 2.7 x 5 in Fl can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mode Up to 50 cpm (wit Up to 50 cpm (wit)	SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	Storage; Open Extensibility Platfo 32 mm; 11.69 x 17 in TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	orm (OXP), HP Workpath net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE) Up to 70 cpm (with 8EP62AAE) Up to 70cpm (with 8EP62AAE)		
o 180 ipm (b&o aten Scanner (600 x 600 dpi; ssion PDF, JPE; ications: Copy; 197 x 864 mm; neets	w), up to 180 ipm (color) CD Digital-CIS Optical: Up to 600 x 600 di 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; si color/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	pi Network Folder; Scan to US 68 x 127 mm; 2.7 x 5 in Fl can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mode Up to 50 cpm (wit Up to 50 cpm (wit)	SB; Scan to Job latbed: 297 x 4 FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE)	Storage; Open Extensibility Platfo 32 mm; 11.69 x 17 in TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	orm (OXP), HP Workpath net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
aten Scanner (600 x 600 dpi; ssion PDF, JPE: ications: Copy; 197 x 864 mm; neets	CD Digital-CIS Optical: Up to 600 x 600 dg 5, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; scolor/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	Network Folder; Scan to US: 68 x 127 mm; 2.7 x 5 in Fl can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mod Up to 50 cpm (wit Up to 50 cpm (wit)	FTP; scan to sFustments (dark e (book, 2-side the BEP60AAE) th 8EP60AAE)	TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE		
600 x 600 dpi; ssion PDF, JPE ications: Copy; 97 x 864 mm; neets	Optical: Up to 600 x 600 dp G, TIFF, MTIFF, XPS, PDF/A Fax; Scan to Email; Scan to 11.7 x 34 in ADF Minimum: folder; scan to USB drive; scolor/monochrome; high co dp picture, photograph); con y straighten Up to 40 cpm	Network Folder; Scan to US: 68 x 127 mm; 2.7 x 5 in Fl can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mod Up to 50 cpm (wit Up to 50 cpm (wit)	FTP; scan to sFustments (dark e (book, 2-side the BEP60AAE) th 8EP60AAE)	TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE) Up to 70cpm (with 8EP62AAE)		
ssion PDF, JPEi ications: Copy; 197 x 864 mm; neets an to network atically detect t, mixed, printe	folder; scan to USB drive; scolor/monochrome; high cod picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	Network Folder; Scan to US: 68 x 127 mm; 2.7 x 5 in Fl can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mod Up to 50 cpm (wit Up to 50 cpm (wit)	FTP; scan to sFustments (dark e (book, 2-side the BEP60AAE) th 8EP60AAE)	TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE) Up to 70cpm (with 8EP62AAE)		
eets an to network atically detect, mixed, printe	folder; scan to USB drive; scolor/monochrome; high cod picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mode Up to 50 cpm (wit Up to 50 cpm (wit)	FTP; scan to sFustments (dark e (book, 2-side the BEP60AAE) th 8EP60AAE)	TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE		
297 x 864 mm; neets an to network atically detect t, mixed, printe	folder; scan to USB drive; scolor/monochrome; high cod picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	can to SharePoint; scan to I mpression PDF; image adjutent orientation; scan mode Up to 50 cpm (wit Up to 50 cpm (wit)	FTP; scan to sFustments (dark e (book, 2-side the BEP60AAE) th 8EP60AAE)	TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	net Fax; local address book; SM up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE		
neets an to network atically detect , mixed, printe	folder; scan to USB drive; s color/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40cpm	can to SharePoint; scan to I mpression PDF; image adju tent orientation; scan mode Up to 50 cpm (wit Up to 50 cpm (with Up to 50 cpm (with	FTP; scan to sF ustments (dark e (book, 2-side th 8EP60AAE) th 8EP60AAE) h 8EP60AAE)	TP; scan to LAN fax; scan to Interness, contrast, background cleaned ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
an to network atically detect	color/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40cpm	mpression PDF; image adjutent orientation; scan modified by the 50 cpm (with Up to 50 cpm	ustments (dark e (book, 2-side h 8EP60AAE) h 8EP60AAE) h 8EP60AAE)	ness, contrast, background clean ed ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
an to network atically detect	color/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40cpm	mpression PDF; image adjutent orientation; scan modified by the 50 cpm (with Up to 50 cpm	ustments (dark e (book, 2-side h 8EP60AAE) h 8EP60AAE) h 8EP60AAE)	ness, contrast, background clean ed ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
atically detect ;, mixed, printe	color/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40cpm	mpression PDF; image adjutent orientation; scan modified by the 50 cpm (with Up to 50 cpm	ustments (dark e (book, 2-side h 8EP60AAE) h 8EP60AAE) h 8EP60AAE)	ness, contrast, background clean ed ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
atically detect ;, mixed, printe	color/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40cpm	mpression PDF; image adjutent orientation; scan modified by the 50 cpm (with Up to 50 cpm	ustments (dark e (book, 2-side h 8EP60AAE) h 8EP60AAE) h 8EP60AAE)	ness, contrast, background clean ed ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
atically detect ;, mixed, printe	color/monochrome; high co d picture, photograph); con y straighten Up to 40 cpm Up to 40 cpm Up to 40cpm	mpression PDF; image adjutent orientation; scan modified by the 50 cpm (with Up to 50 cpm	ustments (dark e (book, 2-side h 8EP60AAE) h 8EP60AAE) h 8EP60AAE)	ness, contrast, background clean ed ID); erase edges; auto page cro Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	up, sharpness); optimize p; job build; image preview; blar Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
	Up to 40 cpm Up to 40cpm	Up to 50 cpm (with Up to 50 cpm	h 8EP60AAE) h 8EP60AAE)	Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE Up to 70cpm (with 8EP62AAE)		
	Up to 40cpm	Up to 50cpm (with	h 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE)		
		Up to 50 cpm (wit					
	IUp to 40 cpm				LUn to 70 cnm (with 8FP62AAF		
lov.				Up to 60 cpm (with 8EP61AAE)			
lex lex	Up to 40 cpm Up to 40 cpm	Up to 50 cpm (wit Up to 50 cpm (wit		Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE		
icx	Up to 40 cpm	Up to 50 cpm (wit		Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE		
	Up to 40 cpm	Up to 50 cpm (wit		Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE		
tter Black	As fast as 4.9 sec	As fast as 4.2 sec	(with	As fast as 3.8 sec (with	As fast as 3.5 sec (with		
tter Color	As fast as 6.5 sec	8EP60AAE) As fast as 5.6 sec	(with	8EP61AAE) As fast as 4.9 sec (with	As fast as 4.3 sec (with		
Black	As fast as 4.9 sec	8EP60AAE) As fast as 4.2 sec	(with	8EP61AAE) As fast as 3.8 sec (with	As fast as 3.5 sec (with		
Color	As fast as 6.5 sec	8EP60AAE) As fast as 5.6 sec	(with	8EP61AAE) As fast as 4.9 sec (with	8EP62AAE) As fast as 4.3 sec (with		
		8EP60AAE) t and graphics): Up to 600 ×	x 600 dpi	8EP61AAE)	8EP62AAE)		
2S			up.				
25 to 400% Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stampinge overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage							
Up to: 33.6 kbps / Letter: 3 sec per page							
Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi							
Fax memory: Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No							
1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1							
	SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/100/1000T Ethernet)						
3.0 (host)	Optional, enabled with purchase of a hardware accessory						
3.0 (host) n GIGABIT 10/1							
3.0 (host) n GIGABIT 10/1 d with purchas	Standard:6GB; Maximum:6GB						
3.0 (host) n GIGABIT 10/1 d with purchas Mopria™ Certif	Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256						
3.0 (host) n GIGABIT 10/1 d with purchas Mopria™ Certif aximum:6GB Hz), Dual Core	aco capabilities /C ET	e crase-remporary Job Files		Up to 250,000 pages (with	Up to 300,000 pages (with		
3.0 (host) n GIGABIT 10/1 d with purchas Mopria™ Certif aximum:6GB Hz), Dual Core	ase capabilities (Secure File Up to 180,000 pages			I SEUN I AAEI	8EP62AAE) Up to 300,000 pages (with		
3.0 (host) n GIGABIT 10/1 d with purchas Mopria™ Certif aximum:6GB Hz), Dual Core	1	8EP60AAE)	ges (with	Up to 250,000 pages (with 8EP61AAE)	8EP62AAE)		
	d: Yes Maximur elephone hand: et 10/100/100 3 3.0 (host) n GIGABIT 10/1 d with purchas Mopria™ Certif laximum:6GB	d: Yes Maximum speed dialing numbers: Lelephone handset supported: No et 10/100/1000T network; 1 Hardware In 3 3.0 (host) n GIGABIT 10/100/1000T Ethernet) d with purchase of a hardware accessory Mopria™ Certified; Wi-Fi® Direct Printing; H laximum:6GB Hz), Dual Core (1.4GHz) / Storage: Standar	d: Yes Maximum speed dialing numbers: Up to 1000 numbers (each elephone handset supported: No et 10/100/1000T network; 1 Hardware Integration Pocket 2nd gene 8 3.0 (host) in GIGABIT 10/100/1000T Ethernet) d with purchase of a hardware accessory Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-pr laximum:6GB Hz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard otion; Secure erase capabilities (Secure File Erase-Temporary Job File	d: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destirelephone handset supported: No et 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 3.0 (host) n GIGABIT 10/100/1000T Ethernet) d with purchase of a hardware accessory Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); Filaximum:6GB Hz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Habiton; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase Up to 200,000 pages (with	d: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yelephone handset supported: No et 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 Super 8 3.0 (host) In GIGABIT 10/100/1000T Ethernet) d with purchase of a hardware accessory Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print laximum:6GB Hz), Dual Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 50 tion; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk Up to 180,000 pages Up to 200,000 pages (with 8EP61AAE) Up to 250,000 pages (with 8EP61AAE)		

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max:			
Media types supported	Up to 6,140 sheets; Output Capacities : Up to 500 sheets Standard; Up to 100 sheets; Duplex Options : Automatic; Envelope feeder : No; Standard paper trays : 3 Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored			
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond			
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope #0narch; Tray 2: Letter, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8,10 x 15, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17 12 x 18, 8k, 16k			
Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in			
What's in the box	5QK03A In box materials ; Guide install, Flyer Regulatory, Power Cords, Label, Drums.			
Replacement cartridges ⁴	HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC			
Product dimensions	Wxdxh: 585 x 694.7 x 907.7 mm; 23 x 27.4 x 35.7 in Maximum: 1656.7 x 1269 x 1488.5 mm; 65.2 x 50 x 58.6 in			
Product weight	99.8 kg; 220.1 lb			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel			
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the box, only on http://www.hp.com or http://123.hp.com			
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey			
Compatible network operating systems	Windows Server; Linux; Citrix; Novell			
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 100 to 127VAC 50/60Hz, 110 to 127VAC 50/60Hz, 220 to 240VAC 50/60Hz (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 40ppm; 54dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ppm; 59dB(A), ADF scan A4 at 150ppm			
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH			

Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800–193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp. com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrinterSecurityClaims.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

 Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.

 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices and in the formation of the property of the standard of

- tunning HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfi
- HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines
 HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

- ⁴ Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.















